

VHLPX6-11W-6-QD/A



1.8 m | 6 ft ValuLine® High Performance Low Profile Antenna, dual-polarized, 10.000–11.700 GHz, CPR90G, white antenna, flexible woven polymer gray radome without flash, fully assembled/Quick Deploy pack—one-piece reflector

Product Classification

| | |
|----------------------|-------------------|
| Product Type | Microwave antenna |
| Product Brand | ValuLine® |

General Specifications

| | |
|-------------------------------|--|
| Antenna Type | VHLPX - ValuLine® High Performance Low Profile Antenna, dual-polarized |
| Antenna Input | CPR90G |
| Antenna Color | White |
| Reflector Construction | One-piece reflector |
| Radome Color | Gray |
| Radome Material | Polymer |
| Flash Included | No |

Dimensions

| | |
|--------------------------|--------------|
| Diameter, nominal | 1.8 m 6 ft |
|--------------------------|--------------|

Electrical Specifications

| | |
|---------------------------------|---------------------|
| Operating Frequency Band | 10.000 – 11.700 GHz |
|---------------------------------|---------------------|

Packaging and Weights

| | |
|-----------------------|---|
| Height, packed | 1517 mm 59.724 in |
| Width, packed | 1978 mm 77.874 in |
| Length, packed | 2016 mm 79.37 in |
| Packaging Type | Wooden crate |
| Volume | 6.1 m ³ 215.42 ft ³ |
| Weight, gross | 224 kg 493.835 lb |
| Weight, net | 86 kg 189.597 lb |

VHLPX6-11W-6-QD/A

Regulatory Compliance/Certifications

Agency

ISO 9001:2015

Classification

Designed, manufactured and/or distributed under this quality management system

* Footnotes

Operating Frequency Band

Bands correspond with CCIR recommendations or common allocations used throughout the world. Other ranges can be accommodated on special order.

Packaging Type

Andrew standard packing is suitable for export. Antennas are shipped as standard in totally recyclable cardboard or wire-bound crates (dependent on product). For your convenience, Andrew offers heavy duty export packing options.