


MT-F1590



Wall Coaxial Cable Support Kit, for eight coaxial cable runs

Product Classification

Product Type Wall Support Bracket

General Specifications

Cable Runs, quantity 8

Hole, quantity 8

Mounting Walls

Dimensions

Height 152.4 mm | 6 in

Width 685.8 mm | 27 in

Length 2,438.4 mm | 96 in

Hole Size 3/4 in

Material Specifications

Material Type Galvanized steel

Mechanical Specifications

Wind Rating For Specifications, please contact your local ANDREW representative

Packaging and Weights

Included Brackets (2) | Channel | Hardware

Packaging quantity 1

Weight, net 33.5 kg | 73.855 lb

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

MT-F1590

Included Products

- MT-F1587 – Wall-Mount Bracket for eight coaxial cable runs

* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code

MT-F1587



Wall-Mount Bracket for eight coaxial cable runs

Product Classification

Product Type Mounting bracket

General Specifications

Cable Runs, quantity 8

Hole, quantity 8

Mounting Walls

Dimensions

Height 101.6 mm | 4 in


Width 50.8 mm | 2 in

Length 558.8 mm | 22 in

Hole Size 3/4 in

MT-F1587

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating For Specifications, please contact your local ANDREW representative

Packaging and Weights

Included Brackets

Packaging quantity 1

Weight, net 1.9 kg | 4.189 lb

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value

MT-F1587

ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.andrew.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant



* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code