

# MTC3975083

---



Custom G2 Series High Capacity Sector Frame, 8 ft x2.88 in OD face pipes, includes three 96 in x2.88 OD antenna pipes

## Product Classification

<b>Product Type</b>	High capacity Tower sector frame
<b>Ordering Note</b>	ANDREW® non-standard product
<b>Warranty</b>	One year

## General Specifications

<b>Mounting</b>	Angle 90°, 152.4 mm (6 in)   Straight or tapered legs up to 203.2 mm (8 in) OD
<b>Patent Number</b>	Patent pending
<b>Pipe, quantity</b>	3
<b>Sectors, quantity</b>	1
<b>Tower Taper</b>	Non-tapered   Tapered

## Dimensions

<b>Height</b>	2,438.4 mm   96 in
<b>Face Width</b>	2.438 m   8 ft
<b>Pipe Length</b>	2,438.4 mm   96 in
<b>Face Support Pipe Diameter</b>	73.152 mm   2.88 in
<b>Mounting Diameter, maximum</b>	222.25 mm   8.75 in
<b>Mounting Diameter, minimum</b>	38.1 mm   1.5 in
<b>Pipe Outer Diameter</b>	73.152 mm   2.88 in
<b>Stand-off Distance</b>	889 mm   35 in

## Material Specifications

<b>Material Type</b>	Hot dip galvanized steel
----------------------	--------------------------

## Mechanical Specifications

<b>Wind Rating</b>	For Specifications, please contact your local ANDREW representative
<b>Wind Rating Test Method</b>	TIA/EIA-222-G

# MTC3975083

---

## Packaging and Weights

<b>Included</b>	Frame   Pipe mounts   Plain end pipes (3)   Stiff arm   Tower attachment
<b>Packaging quantity</b>	1
<b>Weight, net</b>	159.665 kg   352 lb

## \* Footnotes

<b>Warranty</b>	For more information, please consult our Product Warranty guidelines
<b>Wind Rating</b>	BWS—Base Wind Speed; FBC—Florida Building Code