





- 1.0 GENERAL NOTES
 1.1 ALL IMPERIAL DIMENSIONS ARE IN BRACKETS [X.XX]
 1.2 MARK PART WITH IDENTIFICATION NUMBER
 2.0 DESIGN NOTES
 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
 4.0 TEST
 5.0 PACKAGING
 5.1 PACKAGING SHALL MEET COMMSCOPE REQUIREMENTS PER DOCUMENT IS-PL-3005
 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
 5.3 EXTRA HARDWARE MAYBE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	JL1183 16MAR23	JAHAINES 40168212CMO



COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
 INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	MTC4104-0020	CROSSOVER PLATE, .375 X 9.375 X 8	1
2	GUB-545870	5/8" X 4-5/8" X 7" GALV U-BOLT	2 INCLUDES U-BOLT,FLAT WASHERS, LOCK WASHERS AND NUTS
3	GUB-53050	5/8" X 3" X 5" GALV U-BOLT KIT	2 INCLUDES U-BOLT,FLAT WASHERS, LOCK WASHERS AND NUTS

DENSITY	14.03	lbs/in ³
MASS	49.48	lbs
VOLUME	367.62	in ³
SURFACE AREA	237172.57	mm ²
DENSITY	6376.47	g/mm ³
MASS	810906.14	grams
VOLUME	238.1	mm ³
SURFACE AREA	228.6	mm ²
HEIGHT	203.2	[8.0]
LENGTH	238.1	[9.38]
WIDTH	228.6	[9.0]

COMMSCOPE, INC. OF NORTH CAROLINA

TOLERANCES		SAP MATERIAL MASTER	
0 PLACE	X[.X] ± 6[0.25]	2 PLACE	.XX[.XXX] ± 1.50[0.06]
1 PLACE	.X[.XX] ± 3.0[0.12]	ANGLES	± 2°
FINISH		MATERIAL	
		MUK-MSK5	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS INTERPRET PER ANSI Y 14.5M-1994		NAME	DATE
		CE	JL1183 16MAR23
		RW	JL1183 03/21/2023
		AD	YW1045 03/23/2023
		RE	YMENG 03/24/2023
ECN 40168212CMO		SCALE	DOCUMENT NO.
		1:2	MUK-MSK5
SIZE	Auth Group	INSL	MODEL
A2			
VERSION	STATUS	REVISION	VERSION
00	RE	A	00
DRAWING		REVISION	SHEET
VERSION	STATUS	REVISION	1 OF 1
00	RE	A	