


- 1.0 GENERAL NOTES
 1.1 ALL IMPERIAL DIMENSIONS ARE IN BRACKETS [X.XX]
 1.2 MARK PART WITH IDENTIFICATION NUMBER
- 2.0 DESIGN NOTES
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
- 4.0 TEST
- 5.0 PACKAGING
 5.1 PACKAGING SHALL MEET COMMSCOPE REQUIREMENTS PER DOCUMENT IS-PL-3005
 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
 5.3 EXTRA HARDWARE MAYBE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	JL1183 16MAR23	JAHAINES 40168212CMO



COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
 INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.

ITEM NO.	PART NO.	DESCRIPTION	QTY.	NOTE NO.
1	P574-029-01	BENT PLATE BRACKET	1	
2	VCP	CLAMP, MOUNTING	4	
3	GB-05605FT	5/8" X 6" GALV BOLT KIT FULL THREAD	8	INCLUDED BOLT, LOCK WASHER AND NUT
4	GWFO5A	GALV FLAT WASHER HARDENED 5/8", 1.30D	8	

DENSITY	lbs/in ³
MASS	29.84 lbs
VOLUME	105.34 in ³
SURFACE AREA	669.16 in ²
DENSITY	g/mm ³
MASS	13562.5666 grams
VOLUME	1726397.2704 mm ³
SURFACE AREA	431713.5962 mm ²
HEIGHT	279[11.0]
LENGTH	295[11.6]
WIDTH	241[9.5]

COMMSCOPE, INC. OF NORTH CAROLINA

TOLERANCES		SAP MATERIAL MASTER	
0 PLACE	X[.X] ± 6[0.25]	2 PLACE	.XX[.XXX] ± 1.50[0.06]
1 PLACE	.X[.XX] ± 3.0[0.12]	ANGLES	± 2°
FINISH		MATERIAL	
		MUK-MSK13	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS INTERPRET PER ANSI Y 14.5M-1994	NAME	DATE	TITLE
	CE JL1183	16MAR23	UNIVERSAL CHANNEL CROSSOVER
	RW JL1183	03/21/2023	
	AD YW1045	03/23/2023	
	RE YMENG	03/24/2023	
ECN 40168212CMO			
SCALE	1:1	DOCUMENT NO. MUK-MSK13	
SIZE	A2	Auth Group	INSL
VERSION	00	STATUS	RE
REVISION	A	VERSION	00
DRAWING	RE	STATUS	RE
REVISION	A	REVISION	A
SHEET	1 OF 1		